

L Number	Hits	Search Text	DB	Time stamp
2	5	((random near2 sampl\$3) same (database\$2 near3 manag\$9)) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2004/02/06 10:02
3	82	(random near2 sampl\$3) and ((database or data) with mining) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2004/02/06 10:27
4	2	((random near2 sampl\$3) with (integrat\$3 or part or ((build or built) adj in)) with database) and (@ad<20010702).	USPAT; US-PGPUB; IBM_TDB	2004/02/06 11:04
5	410	(sampling with database) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2004/02/06 11:06
6	57	(sampling same (database near3 manag\$9)) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2004/02/06 11:07
8	10	(sampling same (database near3 manag\$9) same partition\$3) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2004/02/06 11:07
-	1	"20030004973"	USPAT; US-PGPUB; IBM_TDB	2004/01/15 14:10
-	6	5511190.pn. or 5675786.pn. or 5970495.pn. or 6049861.pn. or 6092085.pn. or 6128611.pn.	USPAT; US-PGPUB; IBM_TDB	2003/07/12 18:53
-	7	((database or record\$2 or file\$2) with random with sampling).ab. and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2003/07/26 15:07
-	129	((database or record\$2 or file\$2) with random with sampling) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2004/01/15 08:30
-	24	((random with sampling) same (replicat\$3 or reproduc\$3 or (re adj produc\$3)) same (database or file\$2 or record\$2)) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2003/07/26 20:23
-	60	((5511190.pn. or 5675786.pn. or 5970495.pn. or 6049861.pn. or 6092085.pn. or 6128611.pn.) or ((random with sampling with (database or file\$2 or record\$2)) and (replicat\$3 or reproduc\$3 or (re adj produc\$3))) or (random with sampling with (database or file\$2 or record\$2)) or ((replicat\$3 or reproduc\$3 or (re adj produc\$3)) and (random with sampling))) and (@ad<20010702) and 707/.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/07/12 13:51
-	79	((random with sampling) same (database or file\$2 or record\$2)) and (replicat\$3 or reproduc\$3 or regenerat\$3 or (re adj produc\$3) or (re adj generat\$3)) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2003/07/12 17:39
-	7	((random with sampling) same (database or file\$2 or record\$2)) and (replicat\$3 or reproduc\$3 or regenerat\$3 or (re adj produc\$3) or (re adj generat\$3)) and (@ad<20010702) and 707/.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/07/12 18:22
-	27	(random with sampling) and (database with partition\$3) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2003/07/12 20:07
-	2	(5511190.pn. or 5675786.pn. or 5970495.pn. or 6049861.pn. or 6092085.pn. or 6128611.pn.) and (random with sampl\$3)	USPAT; US-PGPUB; IBM_TDB	2003/07/12 18:56
-	7	((replicat\$3 or copy\$3 or reproduc\$3 or regenerat\$3 or (re adj produc\$3) or (re adj generat\$3)) with (part\$3 or selectiv\$5) with database).ab. and (replicat\$3 with database) and (@ad<20010702) and 707/.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/08/09 13:19
-	66	(random\$3 with sampl\$5) and ((replicat\$3 or reproduc\$3 or (re adj produc\$3) or cop\$5) with database) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2003/07/26 20:59

-	25	((analy\$5 or comput\$3 or calculat\$3 or determin\$3 or report\$3) with partition\$3 with size) and (random\$3 with sampl\$5) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2003/08/09 13:18
-	44	((replicat\$3 or copy\$3 or reproduc\$3 or regenerat\$3 or (re adj produc\$3) or (re adj generat\$3)) with partition with database) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2003/08/09 13:53
-	29	(random with sampling) and (database with (replicat\$5 or cop\$5 or partition\$3)) and (@ad<20010702) and 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/08/10 15:59
-	1	5179699.pn. and (partition with boundar\$5)	USPAT; US-PGPUB; IBM_TDB	2003/08/10 18:07
-	403	(random with sampl\$3 with (database\$2 or table\$2)) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2004/01/15 08:33
-	40	(random with sampl\$3 with ((build adj in) or (built adj in) or integrat\$5 or includ\$3 or "have" or "has" or "having") with (database\$2 or table\$2)) and (@ad<20010702)	USPAT; US-PGPUB; IBM_TDB	2004/01/15 10:47